

Statement of Qualification

The Federal Aviation Administration (FAA) National Simulator Program (NSP) has evaluated this Flight Simulation Training Device (FSTD) and found it to meet the standards set forth in the qualification document.

Sponsor	
FAA ID	
Aircraft Designation	
Qualification Document	
Qualification Level	
Expiration Date	

With the exception of noted exclusions for which this FSTD has not been subjectively tested, the qualification of this FSTD includes the tasks set out in the applicable qualification document. To maintain qualification, this FSTD must continue to meet all the standards and specifications of the qualification document and is subject to the conditions and limitations in the FSTD Information and Configuration List as well as the last FAA FSTD Evaluation Report. This certificate is not transferable, and unless revoked, suspended, or amended is valid until the expiration date.

Sponsor Name:	Pan Am Flight Academy		
Designator:	PN7X		
FAAID:	1458		
Make/Model/Series:	A-320-200		
Evaluation Interval:	12		

Section	Section 1. Sponsor FSTD Location Contact Information				
FSTD Location					
Training FacilityName:	Pan Am Hialeah				
Address:	1125 SE	1125 SE 8th Street, Suite 100			
City.	HIALEA	Н			
State/Prov/Terr:	FL				
Country.	USA				
ZIP:	33010				
Local FAA Authority/ FAA Training Program Approval Authority(TP/	\ A)				
Name:	Behrle,	Richard			
Address:	2895 SV	V 145 AVE			
City.	MIRAM	AR			
State/Prov/Terr:	FL	Office:	(954) 641-6129		
Country.	USA	Cell:			
ZIP:	33027	Email:	richard.behrle@faa.gov		
FAA Alternate POC (APM, FTPM, if applicable)					
Name:					
Address:					
City.					
State/Prov/Terr:	Office:				
Country:	Cell:				
ZIP:		Email:			
Sponsor FSTD Management Representative					
Name:	Ansell, Arlen				
Address:	5600 No	orthwest 36th Street			
City.	MIAMI				
State/Prov/Terr:	FL	Office:	(305) 773-2803		
Country.	USA	Cell:	(305) 773-2803		
ZIP:	33166	Email:	aansell@panamacademy.com		
Sponsor FSTD Local Contact					
Name:	Soccio,	Carlos			
Address:	5600 N\	N 36th Street			
City.	MIAMI				
State/Prov/Terr:	FL	Office:	(305) 874-6581		
Country.	USA	Cell:	(786) 325-4437		
ZIP:	33122 Email: csoccio@panamacademy.com				

Sponsor Name:	Pan Am Flight Academy		
Designator:	PN7X		
FAAID:	1458		
Make/Model/Series:	A-320-200		
Evaluation Interval:	12		

	Section 2 FSTD Information					
A/C Common Name:		AIRBUS A-320		Manufacturer Name:		CAE
A/C Alternative Name	e:	A-320-200		Manufactured Year:		2015
Qualification Basis:		14 CFR Part 60 (2008), Appendix		AManufacture Serial No:		2425
Qualification Level:		D		Sponsor's FSTD ID:		A320#11
FSTD Class:		Airplane FFS		Evaluation Base Month:		Aug
FSTD Seats Available	e:	5		FSTD Convertible to:		Ш
FSTD Configuration I	nformation					
FSTD Configuration	(1):	A-320-200				
FSTD Configuration	(2):					
FSTD Configuration	(3):					
FSTD Configuration	(4):					
FSTD Configuration	(5):					
FSTD Engine Information	tion					
Pri. Engine Type / Th	rust:	IAE V2527-A5 / 27,000#		FADEC Version:		2A4251, STD. SCN20 0
Alt. Engine Type / Th	rust:	CFM 56-5B4 / 27,000#		FADEC Version:		2044M38PO5, STD 5BR
Alt. Engine Type / Th	rust:			FADEC Version:		
Alt. Engine Type / Thrust:			FADEC Version:			
Ait. Engine Type/ In						
Flight Instrumentation						
				Other:		
Flight Instrumentation				Other:		
Flight Instrumentation				_		
Flight Instrumentation NVG CPDLC				Other:		
Flight Instrumentation NVG CPDLC	n & Systems			Other:		
Flight Instrumentation NVG CPDLC EFB Class:	n & Systems	AIRBUS Nat.Fit.Loop LS	24H40001SL0200	Other:		
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode	n & Systems Is Model/Revision:	AIRBUS Nat.Flt.Loop LS Airbus D00221302	54H40001SL0200	Other:		
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode Flight Control Data:	n & Systems Is Model/Revision:		54H40001SL0200	Other:		
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode Flight Control Data: Aero Model: Source/	ls Model/Revision: Model/Revision:		54H40001SL0200	Other:		
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Model Flight Control Data: Aero Model: Source/	ls Model/Revision: Model/Revision:	Airbus D00221302		Other:		LCoS/LED/DLP
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode Flight Control Data: Aero Model: Source/ Visual System Image Generator Mal	Is Model/Revision: Model/Revision:	Airbus D00221302		Other: Other:		LCoS/LED/DLP 40
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode Flight Control Data: Aero Model: Source/ Visual System Image Generator Mal DisplayType:	Is Model/Revision: Model/Revision:	RSI XT4 Cross Ckpt, Collima		Other: Other: V1.20 Visual Projector Type:		
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode Flight Control Data: Aero Model: Source/ Visual System Image Generator Mal Display Type: Horizontal Field of V	Is Model/Revision: Model/Revision:	RSI XT4 Cross Ckpt, Collima		Other: Other: V1.20 Visual Projector Type:		
Flight Instrumentation NVG CPDLC EFB Class: Data Sources & Mode Flight Control Data: Aero Model: Source/ Visual System Image Generator Mal DisplayType: Horizontal Field of V Avionics	Is Model/Revision: Model/Revision: ke/Model:	RSI XT4 Cross Ckpt, Collima		Other: Other: V1.20 Visual Projector Type:		

Sponsor Name:	Pan Am Flight Academy		
Designator:	PN7X		
FAAID:	1458		
Make/Model/Series:	A-320-200		
Evaluation Interval:	12		

Flight Management System						
Manufacturer:	Honeywell					
Model:	FMSFLEX					
Type/Revision:						
Motion System						
Manufacturer:		MOOG Electri	ic MB-EP-6DO	F/60/8000KG		
Туре:		Electric				
Axis:		6				
Airport Qualificati	on Models					
1: Airport / Runv	vays / Taxiway:		КЈ	-K		
2: Airport / Runways / Taxiway		KI	ICO			
3: Airport / Runways / Taxiway		ΚI	IIA			
<u> </u>						
Visual Ground Segment						
Airport / Landing RW		КЈ	FK/4R			
Helicopter Non-Airport Landing Areas						
Elevated Surface	e:					
Confined Landing Area:						
Sloped Surface						
·						
Other National Av	Other National Aviation Authority Qualifications (US-NAA BASA-SIPs Agreements Only)					
NAA Name:		TC				
NAA FSTD ID No	o :	1071				
NAA Qualificatio	n Level:	D				
NAA Qualificatio	14CFRPart60(2016)					

FSTD INFORMATION & CONFIGURATION

Sponsor Name:	Pan Am Flight Academy		
Designator:	PN7X		
FAAID:	1458		
Make/Model/Series:	A-320-200		
Evaluation Interval:	12		

Except for Non-Qualified items, this FSTD is qualified to performall maneuvers, procedures, tasks, and functions listed in the applicable QPS Appendix, Tables 1B and 1C of 14 CFR Part 60 as amended. Additionally, this FSTD is qualified to performmaneuvers, procedures, tasks, and functions annotated in sections 3a, 3b, or 3c. Specific use in conjunction with any training programmust be approved by the FAA Training Program Approval Authority (TPAA).

	Section 3a. Level 6 and Above FSTD Additional FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (A,B,C, or D) Attachment 1, Table 1B)					
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)			
CAT I (Minimums IAW sponsor/operator authorization)	V	V				
CAT II (Minimums IAW sponsor/operator authorization)	V	V				
CAT III (Minimums IAW sponsor/operator authorization)	V	V				
Circling Approach	V	V				
Windshear Training	V	V				
Auto-Coupled Approach	V	V				
Auto Go Around	V	V				
Auto-Land / Roll-Out Guidance	V	V				
TCAS/ACAS I / II 7.1	V	V				
WX-Radar	V	V				
HUD/HGS						
EFVS/SVS						
TAWS (GPWS / EGPWS)	V	V				
SMGCS	V	V				
Enhanced Taxi Markings	V	V				
RWSL/LAHSO	V	V				
LPV GPS WAAS LPV V GPS WAAS	V	V				
RNP/AR	V	V	0.3 RNP KPSP (Class II model)			
ADS-B In						
Full Stall (14CFR Part 60 (2016)/FSTD Directive 2)	V	V				
UPRT (14CFR Part 60 (2016)/FSTD Directive 2)	V	V				
Icing (14CFR Part 60 (2016)/FSTD Directive 2)	V	V				
Realistic Gusting Crosswind (14CFR Part 60 (2016)/FSTD Directive 2)	V	V				
Bounced Landing (14CFR Part 60 (2016)/FSTD Directive 2)	V	V				
Other						
Other						
Other						
Other						

Sponsor Name:	Pan Am Flight Academy		
Designator:	PN7X		
FAAID:	1458		
Make/Model/Series:	A-320-200		
Evaluation Interval:	12		

Section 3b. Level 6 and Above FSTD Additional Helicopter FSTD Qualified Maneuvers, Procedures, Tasks, and Functions (not stated in 14CFR Part 60 Appendix (C or D) Attachment 1, Table 1B)						
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)			
Helicopter Slope Landings						
Helicopter External Load Operations						
Helicopter Pinnacle Approach to Landings						
Helicopter Night Vision Maneuvers Class A , Class B Lens						
Helicopter Category A Takeoffs						
Other						
Other						
Other						
Other						

Sponsor Name:	Pan Am Flight Academy		
Designator:	PN7X		
FAAID:	1458		
Make/Model/Series:	A-320-200		
Evaluation Interval:	12		

Section 3c. Level 4 & 5 FSTD Optionally Qualified Maneuvers, Procedures, Tasks, and Functions (as defined in Table B1B and D1B)			
Area/Function/Maneuver	Requested (Sponsor Use)	Qualified (FAA Use Only)	Remarks (Include Partial Task Limitations if Applicable)
Preflight Procedures			
Preflight Inspection (flight deckonly).			
Engine Start			
Pre-takeoff Checks.			
In-Flight Maneuvers			
Approach to Stalls			(Level 5 Only)
Engine Failure (procedures only)			(Level 5 Only)
Specific Flight Characteristics incorporated into user's approved flight training program Instrument Procedures			
Standard Terminal Arrival / Flight Management System	ПП	П	4 (50)
Arrival			(Level 5 Only)
Holding Project and the second			(Level 5 Only)
Precision Instrument, all engines operating			(Level 5 Only)
Non-Precision Instrument, all engines operating			(Level 5 Only)
Missed Approach			(Level 5 Only)
Landings and Approaches to Landings			
Visual Approaches (normal, steep, shallow) with visual system			(Helicopter Only)
Normal and Abnormal Procedures			
Powerplant			
Fuel System.			
Electrical System			
Environmental and Pressurization Systems			
Fire Detection and Extinguisher Systems			
Navigation and Avionics Systems			
Automatic Flight Control System, Electronic Flight Instrument System, and Related Subsystems.			
Flight Control Systems			
Anti-ice and Deice Systems			
Aircraft and Personal Emergency Equipment			
Emergency Procedures			
Emergency Descent (Max Rate)			(Level 5 Only)
Inflight fire and smoke removal			(Level 5 Only)
Rapid Decompression			(Level 5 Only)
Emergency Evacuation			
Post flight Procedures			
After-Landing Procedures			
Rotor brake operation.			(Helicopter Only)
Abnormal/emergency procedures			
Other			

FSTD INFORMATION & CONFIGURATION

 Sponsor Name:
 Pan Am Flight Academy

 Designator:
 PN7X

 FAAID:
 1458

 Make/Model/Series:
 A-320-200

 Evaluation Interval:
 12

Narrative